





## **Cream Cooker**

Bowl capacities: 30, 60, 80, 120, 200, 300 and 500 litres







Cream Cookers bowl capacities: 30, 60, 80, 120, 200, 300 and 500 litres



+48 (52) 302 00 73 www.mech-masz.eu

# MULTI COOKER CREAM COOKER MACHINE





#### **MK Cream cooker**

- Versatile machine intended for production of choux pastry, pastry cream, fruit jam, coating, stuffing, various mixtures, melting chocolate, for any recipe requiring heating and smooth blending;
- 3 shell coated bowl: internal coat filled with oil as heating source; outer coat with air isolation prevents from temperature loss and ensures secure operation;
- 2 gear drive for models 30, 60, 80, 120l (variable speed with inverter in option); for bigger models: 200, 300, 500l inverter in standard equipment;
- Mixing tool with side and bottom scrapers preventing from sticking the product to the wall or burning; in option available special double tool intended for dense mass helping to break dough particles;
- Easy removable scrapers without tools for washing or replacement;
- Bowl cover with inspection funnel for monitoring the process or for adding ingredients;
- Max. temperature of heating oil: 150°C;
- Safety switch to protect from overheating;
- All machine elements which get in contact with food are made of high quality acid-resistant steel or food grade materials;
- All important electrical elements are placed inside electric box at machine side protected from impact of high temperature or fumes;
- Discharge by tilting the bowl with hand wheel (models 30, 60, 80, 120l), motorized tilting (models 200, 300, 500l), or by dispensing tap (option for smaller models);
- Bowl lock at any position by tilting;
- Timer manual or automatic working mode;

Accessories













+48 (52) 302 00 73 www.mech-masz.eu



| Model            | Bowl Capacity<br>Minimum<br>[litre] | Installed Power [kW] |                        | Oil<br>Volume | Machine<br>Weight | Dimensions<br>W x D x H |
|------------------|-------------------------------------|----------------------|------------------------|---------------|-------------------|-------------------------|
|                  |                                     | Heaters [kW]         | Motor [kW]<br>1/2 gear | [l]           | [kg]              | [mm]                    |
| MK-30 / MK-30Z   | 3                                   | 4                    | 0,37/0,45              | 12-12,5       | 116/121           | 960 x 725 x 1530        |
| MK-60 / MK-60/Z  | 4                                   | 6                    | 0,6/0,8                | 17,5          | 150/154,5         | 960 x 780 x 1635        |
| MK-80 / MK-80Z   | 4                                   | 9                    | 0,6/0,8                | 19,5          | 158/162,5         | 960 x 740 x 1635        |
| MK-120 / MK-120Z | 12                                  | 12                   | 1,3/1,8                | 29            | 232/236,5         | 1120 x 905 x 1810       |
| MK-200/Z         | 22                                  | 15                   | 3,0                    | 41            | 328               | 1300 x 1200 x 1990      |
| MK-300/Z         | 35                                  | 24                   | 5,0                    | 67            | 611,5             | 1635 x 1335 x 2200      |
| MK-500/Z         | 50                                  | 45                   | 5,0                    | 67            | 730               | 1900 x 1560 x 2400      |

\* Models with letter Z are equipped with drainage tap
\*\* Maximal capacity to be adjusted by machine operator/depends on product consistency

\*\*\* Maximal heaters power by starting all at the same time

| Model                           | VALVE SIZE |  |
|---------------------------------|------------|--|
| MK-30Z, MK-60Z, MK-80Z, MK-120Z | DN50       |  |
| MK-200Z, MK-300Z, MK-500Z       | DN80       |  |

Panel LCD (option)



Full automation and process supervision

Save up to 25 recipes and programs Full control of your processes in real time



tilting bowl



max temperature 150°C



easy and safe control



bowl



the valve



trigger



cover safety lock



layer



**AISI 304** stainless steel




mobile castor design





+48 (52) 302 00 73










#### **Leader** in the industry



For 33 years, services tailored to customer needs and perfect quality of products have been the main features making the MECH-MASZ brand stand out.

We participate in all major bakery and confectionery fairs in Poland and Europe. We organise annual meetings for bakers and confectioners, while offering our baked goods and presenting the registered office. At present, the company manufactures more than 50 models of devices, and the full range includes about 800 products.

Our products are sold to domestic market customer and exported to more than 30 countries worldwide.







You're investing in future



### **MECH-MASZ Szczeciński** spółka z ograniczoną odpowiedzialnością sp.k.



Jaroszewo 80 88-400 ŻNIN POLAND



export@mech-masz.com.pl mechmasz@mech-masz.com.pl



tel.: +48 (52) 302 00 73 tel.2: +48 (52) 303 12 38 tel.3: +48 (52) 303 12 39

www.mech-masz.eu