

**Mech  
Masz**  
*Szczeciński*  
sp. z o.o. sp.k.



**PNEUMATIC  
DOZER**



**Automatic dosing machine**

**D-MAX**



# EVERY TIME PERFECT DOSE

WATCH OUR  
VIDEO ON  
THE WEBSITE



Subskrybuj nasz kanał  YouTube

The background of the entire page is a red-tinted photograph of industrial machinery, possibly a pump or a valve assembly, with various pipes, valves, and a large cylindrical component. Overlaid on this image are numerous white hexagonal shapes of varying sizes and opacities. Some are solid white, while others are just outlines. These hexagons are scattered across the frame, with a higher concentration in the upper right and lower right areas. The overall aesthetic is clean, modern, and technical.

**work  
fast**

**SHORTER  
WORKING  
TIME**



Big container

Adjustable working high

Easy to operate

Fully pneumatic

Pneumatic dosing

Easy to clean

Stainless steel body

Moveable on wheels

Foot pedal

# Automatic dosing machine

It's a universal machine designed for dosing and filling many kinds of pastry products with creams, stuffings, sauces etc. Dozer ensures short working time and equal amount of dosing portions. Max. Dosed portion till 1400 ml / depends of product consistency. Manual starting available with hand or foot.

## MAIN FEATURES

- Moveable on wheels
- Stainless steel body
- Easy to clean
- Adjustable working high
- Easy to use, efficient – shorter working time by filling and dosing.

## Full standard equipment include:

- Pneumatic piston – 2 pcs. /bigger and smaller/
- Cylinder – 2 pcs. /bigger and smaller/
- Standard spout – 1 pcs
- Spout with pneumatic cut – 1 pcs .
- Piping tips – 12 pcs.
- Double pipe for filling – 1 pcs.





# Mech Masz

Szczeciński  
sp. z o.o. sp.k.



## **MECH-MASZ Szczeciński** spółka z ograniczoną odpowiedzialnością sp.k.



Jaroszewo 80  
88-400 ŻNIN  
POLAND



[mehmasz@mech-masz.com.pl](mailto:mehmasz@mech-masz.com.pl)



tel.: +48 (52) 302 00 73  
tel.2: +48 (52) 303 12 38  
tel.3: +48 (52) 303 12 39

[www.mech-masz.eu](http://www.mech-masz.eu)